



«Kerameya» LTD

47, Pogranychna str., Sumy, Ukraine, 40012  
Phone (code) +38 0542 68 35 72

E-mail: [office@kerameya.com.ua](mailto:office@kerameya.com.ua)  
[www.kerameya.com.ua](http://www.kerameya.com.ua)



© LLC «APC «CHOCOLATE» / chocolate.com.ua

KERAMEYA

KERAMEYA LTD  
(Sumy, Ukraine) was  
established as a joint venture  
between US Private Equity Fund  
EEGF and TechnoKeramService  
(TKS) back in 2007.

KERAMEYA  
is a specialized  
manufacturer of high  
quality ceramics  
construction materials

such as facing bricks  
TM «KlinKeram»

clinker paving bricks  
TM «BrukKeram»

and ceramic blocks  
TM «TeploKeram»

COMPANY

CAPACITY OF PRODUCTION LINES:

**60 mln.** standard bricks / year  
– facing bricks (TM «KlinKeram»)

**10 mln.** standard bricks / year  
– clinker paving bricks (TM «BrukKeram»)

**90 mln.** standard unit / year  
– ceramic blocks (TM «TeploKeram»)

Our production lines are fitted with modern equipment from Instalat, Handle, Lingl, Bedeschi, Ceric, and Ukrainian manufacturer «Techno–Mash–Service». Control systems and software from Siemens and «Elius–M».



Each stage of the production process is fully controlled and corresponds to the norms specified in the Production Control Certificate No 1397 – CPD – 0277 (first issued on 29 September 2009). The production process is certified according to ISO 9001.

KERAMEYA exports its products to Poland, Romania, Lithuania, Moldova, Kazakhstan, Georgia, Russia, Belarus and Mongolia.

KERAMEYA development strategy is to produce the full range of heavy clay up to roof tiles, extruded floor tiles and insulating ceramics to protect settlements from the motorway noise.

The synergy of qualified personnel, modern production process, equipment and environmentally friendly raw materials from their own quarry can satisfy almost every customer.



STATYBOS PRODUKCIJOS CERTIFIKAVIMO CENTRAS  
Linkmenų g. 28, LT-08217 Vilnius, Lietuvos Respublika

## CERTIFICATE OF FACTORY PRODUCTION CONTROL

1397 - CPD - 0277

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993 enforced in the Republic of Lithuania by the Building Technical Regulation STR.1.01.04 it has been stated that the construction product

category I clay masonry units

types

HD ceramic klinker bricks

intended use

for decorative masonry of external walls

produced by the manufacturer

“Kerameya” Ltd,  
Pogranychna street, 47, Sumy, 40012, Ukraine  
company code 34327895

in the factory

“Kerameya” Ltd  
Pogranychna street, 47, Sumy, 40012, Ukraine

is submitted by the manufacturer to the initial type-testing of the product, a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body – VI Statybos produkcijos sertifikavimo centras (SPSC), Vilnius, Republic of Lithuania – has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in the Annex ZA of the standard

EN 771-1:2003, EN 771-1:2003/A1:2005

were applied.

This certificate was first issued on 29-09-2009 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Validity of the certificate can be checked at <http://www.spse.lt>

Vilnius,  
29 September 2009



Robertas Encius,  
Director

The attraction of bricks  
and pavers is in their  
individuality. They are  
available in a great variety  
of colors.

They do not lose  
any of their attractive  
properties as the time  
goes by – on the contrary,  
they become more  
beautiful and expressive  
day by day.

THE SECRET

The secret of our bricks  
and clinkers:  
Only local clays and  
an accurate production  
and firing process.

Bricks and pavers from  
KERAMEYA can build the  
base for the design  
of your projects

# «KlinKeram» CERAMIC BRICKS



## DECLARATION OF PERFORMANCE

- 1

Unique  
identification code of the  
product type: Ceramics  
(category – for masonry)
- 2

Intended use:  
For decorative masonry  
of external walls.
- 3

Declared performance: →

List of essential characteristics as determined in the harmonized technical specifications.	Declared performance, expressed by level or class, or in a description, related to the corresponding essential characteristics. 'NPD' (No Performance Determined) is indicated where no performance is declared.
Dimensions, mm	250x120x65
Tolerances of the mean value, mm	T2
Range, mm	R2
Configuration	≤37
Tolerance category	D2
Normalized compressive strength, N/mm <sup>2</sup>	≥30
Freeze, cycles The test is performed in accordance with the LST CEN / TS 772–22:2006	F2
Water absorption,%	≤ 6,0
Active soluble salts content	S2
Reaction to fire	A1
Hazardous substances	1 class







PEARL



KlinKeram



KERAMEYA






RUBY



KlinKeram



KERAMEYA






## YANTAR



KlinKeram




KERAMEYA






ONYX



KlinKeram




KERAMEYA






MAGMA  
TOPAZ



KlinKeram




KERAMEYA





**MAGMA  
DIABAZ**



KlinKeram




KERAMEYA






MAGMA  
GRANIT



KlinKeram




KERAMEYA






## RUSTIKA GRANIT 23



KlinKeram




KERAMEYA






## RUSTIKA GRANIT 32



KlinKeram



KERAMEYA






## RUSTIKA GRANIT 43



KlinKeram




KERAMEYA





## RUSTIKA GRANIT 53



KlinKeram



KERAMEYA






## RUSTIKA RUBY 13



KlinKeram




KERAMEYA





**RUSTIKA  
ONYX 73**



KlinKeram



KERAMEYA





**RUSTIKA  
TOPAZ 3**



KlinKeram



KERAMEYA



ASSORTMENT  
RANGE OF  
“KLINKERAM”  
BRICKS



PEARL



RUBY



YANTAR



ONYX



MAGMA TOPAZ



MAGMA DIABAZ



MAGMA GRANIT



RUSTIKA GRANIT 23



RUSTIKA GRANIT 32



RUSTIKA GRANIT 43



RUSTIKA GRANIT 53




RUSTIKA RUBY 13




RUSTIKA ONYX 73



RUSTIKA TOPAZ 3




250x120x65 **1NF**




250x120x65 **1NF**



250x120x65 **1NF**




250x90x65 **3/4 NF**



250x60x65 **1/2 NF**




250x120x65 **F1**




250x120x65 **F2**




250x120x65 **F3**




250x120x65 **F4**




250x120x65 **F5**




250x120x65 **F6**



250x120x65 **F7**



250x60x65 **F8**



250x60x65 **F9**




250x120x65 **F14**




250x120x65 **F16**



250x120x65 **F17**



250x120x65 **F18**



250x120x65 **F20**



250x60x65 **F21**



250x60x65 **F22**



«BrukkKeram»  
CLAY  
PAVERS



DECLARATION  
OF PERFORMANCE

- 1

Unique identification code  
of the product type:  
Ceramic products for  
paving roads.
- 2

Intended use:  
Clay pavers for external  
pedestrian and vehicular  
use for flexible laying.
- 3

Declared performance: →

List of essential characteristics as determined in the harmonized technical specifications.	Declared performance, expressed by level or class, or in a description, related to the corresponding essential characteristics. 'NPD' (No Performance Determined) is indicated where no performance is declared.
Dimensions, mm	200x100x45
Size range, mm	R1
Breaking strength , N / mm <sup>2</sup>	T4 ≥80
Abrasion resistance	A3
Slip resistance, USRV	U3
Frost resistance, cycles	Fp100






ONYX



BrukKeram



RUBY



KERAMEYA





**MAGMA  
TOPAZ**



BruckKeram



**MAGMA  
YANTAR**



KERAMEYA





**MAGMA  
GRANIT**



BrukKeram



**MAGMA  
DIABAZ**



KERAMEYA